

Helios

Safe

Fire and Burglary Protection



Certified burglary
resistance



Certified fire
resistance



HELIOS

Fire and burglary protection

Helios safes offer dual protection against burglary and fire to independent businesses, professionals and private individuals wishing to safeguard their valuables and essential documents.



Key features

PROTECTION

- ✦ Certified burglary resistance as per EN 1143-1 (Grade I).
- ✦ Certified fire resistance as per EN 15659 (1 hour for paper documents).

CAPACITY


- ✦ 40 litres
- ✦ 80 litres
- ✦ 120 litres
- ✦ 160 litres
- ✦ 240 litres
- ✦ 370 litres

KEY BENEFITS

- ✦ Premium materials ensuring high quality and durability.
- ✦ Optimum weight/security performance ratio for this best-seller in our portfolio.

Fichet Bauche guarantees

Our products are subjected to the most stringent tests approved by insurers and A2P-certified by France's National Centre for Prevention and Protection (CNPP). This is the result of integrating our own test laboratory into our factory to impose conditions going even further than those of certifying bodies. Installation is also carried out by our own technicians to ensure certification of your safe is always preserved.



Technical specifications

Models		Helios 40	Helios 80	Helios 120	Helios 160	Helios 240	Helios 370
Volumes (L)		43	77	107	157	235	363
External dimensions (mm) <i>Hinges projection not included</i>	Height	495	615	816	1135	1135	1295
	Width	555	555	555	555	655	765
	Total width with door open to 90°	595	595	595	595	695	805
	Total width with door open to 180°	1060	1060	1060	1060	1260	1480
	Depth (without handle & locks)	400	490	490	490	571	620
	Total depth with door open to 90°	870	960	960	960	1140	1300
Internal dimensions (mm)	Height	405	525	725	1045	1045	1205
	Width	460	460	460	460	560	670
	Clearance width	414	414	414	414	514	624
	Clearance width (door open to 90°)	398	398	398	398	498	608
	Depth	230	320	320	320	401	450
Weight (kg)		109	145	165	230	270	375
Number of shelves		1	1	2	3	3	3
Number of doors		1					

Handle projection: 65mm / Lock projection: 35-60mm depending on models.

Fichet locks

A2P-certified locks as per European standards EN 1300:

- ✦ MxB-B key lock (patented by Fichet Bauche). ✦ Nectra electronic combination lock.
- ✦ MC4 mechanical combination lock.



MxB-B key lock
(patented by Fichet Bauche)



MC4 mechanical
combination lock



Nectra electronic
combination lock

A hallmark of our brand

With 200 years of experience as master locksmiths, we develop and manufacture our own exclusive locks. This is one of the key strengths of our safes and a guarantee of high security. We remain committed to permanent investment in R&D, always looking for more functionality, more resistance, new materials and more advanced lock technologies.

Products details

Helios safes meet the most stringent standards for burglary and fire resistance to deliver optimum protection for your essential documents and valuables.

Available with capacity ranging from 40 to 370 litres, Helios safes have been designed to provide an efficient storage solution answering your personal or business security needs.

PERFORMANCE AND SECURITY

Helios safes provide:

- ✦ Burglary resistance as per EN 1143-1 certified by A2P (Grade I with €25,000 insurance rating).
- ✦ Fire resistance as per EN 15659 (1 hour for paper documents).
- ✦ Choice of mechanical or electronic locks (all A2P-certified as per EN 1300).
- ✦ Composite barrier material developed by Fichet Bauche R&D to optimise weight/storage capacity ratios.
- ✦ Special external finish (rustproof galvanised steel).
- ✦ Exclusive anti-drilling armour plates protecting locks and bolt movements.
- ✦ Added protection with a relocker device automatically triggered in the event of attack (exclusive Fichet Bauche system).
- ✦ Full length bolt movement and anti-heeling protection: any cutting of hinge pivots results in permanent locking of the safe door.
- ✦ High-quality adhesive fireproof seals for long-term reliability.
- ✦ Discreet and robust hinges tested for 50,000 movements, i.e. 137 years with 1 opening every day.

INTERIOR FITTINGS AND OPTIONS

- ✦ Standard or reinforced shelves.
- ✦ Lockable compartments.
- ✦ Sliding trays.
- ✦ Suspension file frames.
- ✦ Optional factory-installed alarm configurations for remote lock management: DOCT sensors for shock and thermal opening detection - compatible with most centralised alarm platforms – allow for 24/7 monitoring and detection.
- ✦ Anchoring kit included for safes weighing less than 1,000 kg (mandatory as per EN 1143-1 requirements).



SPECIAL RIVETED FINISH
(RUSTPROOF GALVANISED STEEL)



PROFILED DOOR

